

AE-VC052P (N)-S 720TVL Mobile Turret Camera



Key Features

- 0.1Lux @(F1.2,AGC ON)
- 720TVL high definition
- Adopt wide-angle lens with wider monitoring coverage
- Support electronic shutter and AGC
- Patented universal regulating mechanism, easy to adjust
- Anti-vibration design and aviation port for mobile environments
- Suitable for mobile environments
- Up to IP4X protection level




Specifications

Model	AE-VC052P-S		AE-VC052N-S	
Camera				
Image Sensor	1.0 Mega Progressive Scan CMOS			
Signal System	PAL		NTSC	
Resolution	1296(H)×732(V)			
Effective Pixels	1280(H)×720(V)			
Min. Illumination	0.1Lux @ (F1.2,AGC ON)			
Shutter Time	1/25(1/30)s to 1/50,000s			
Lens	2.1mm			
Lens Mount	M12			
Day & Night	Electronic			
Angle Adjustment	Pan: 0°; Tilt:0°; Rotation: 0°, Bracket Angle Adjustment Range: 0° to 180°			
Frame Rate	25fps		30fps	
Horizontal Definition	720TVL			
Synchronization	Internal Synchronization			
Video Output	Aviation Port			
S/N Ratio	> 62dB			
Interfaces				
Video Out	1Vpp Composite Output			
Audio In	Built-in Microphone			
Audio Out	1-ch, Aviation Port (Output Impedance: 1KΩ±10%)			
Aviation Plug	1: CVBS, 2: Audio, 3: Power, 4: GND			
General				
Working Temperature/Humidity	-30°C to 65°C (-22°F to 149°F), Humidity 90% or less (non-condensing)			
Power Supply	6VDC to 16VDC			
Power Consumption	MAX. 1.5W			
Protection Level	IP4X			
Dimension	75.8mm×59.9mm×54.5mm (2.98"×2.36"×2.15")			
Weight	Approx. 400g (0.88lb)			


Order Models

AE-VC052P-S (2.1mm); AE-VC052P-S (2.8mm)
AE-VC052N-S (2.1mm); AE-VC052N-S (2.8mm)

Dimensions



Aviation Plug Port



Unit:mm

Distributed by

Headquarters

No.555 Qianmo Road, Binjiang District,
Hangzhou 310051, China
T +86-571-8807-5998
overseasbusiness@hikvision.com

Hikvision USA
T +1-909-895-0400
sales.usa@hikvision.com

Hikvision Italy
T +39-0438-6902
info.it@hikvision.com

Hikvision Singapore
T +65-6684-4718
sg@hikvision.com

Hikvision Europe
T +31-23-5542770
saleseuro@hikvision.com

Hikvision France
T +33(0)1-85-330-444
info.fr@hikvision.com

Hikvision Oceania
T +61-2-8599-4233
salesau@hikvision.com

Hikvision Middle East
T +971-4-8816086
salesme@hikvision.com

Hikvision Spain
T +34-91-737-16-55
info.es@hikvision.com

Hikvision Hong Kong
T +852-2151-1761

Hikvision Russia
T +7-495-669-67-99
saleru@hikvision.com

Hikvision Poland
T +48-22-460-01-50
poland@hikvision.com

Hikvision Canada
T +1-909-895-0400
sales.usa@hikvision.com

Hikvision India
T +91-22-28469900
sales@pramahikvision.com

Hikvision UK
T +44-1628-9021-4
support.uk@hikvision.com