


DS-2CS58C2P(N)-ITS/C 720TVL EXIR Mobile Turret Camera



Key Features

- 0.1Lux @(F1.2,AGC ON), 0 Lux with IR
- 720TVL high definition
- Adopt wide-angle lens with wider monitoring coverage
- Adopt EXIR technology
- Support electronic shutter and AGC
- Patented universal regulating mechanism, easy to adjust
- Anti-vibration design and aviation port for mobile environments
- Suitable for mobile environments
- Up to IP4X protection level



Specifications


Model	DS-2CS58C2P-ITS/C		DS-2CS58C2N-ITS/C
Camera			
Image Sensor	1.0 Mega Progressive Scan CMOS		
Signal System	PAL	NTSC	
Resolution	1296(H)×732(V)		
Effective Pixels	1280(H)×720(V)		
Min. Illumination	0.1Lux @ (F1.2,AGC ON), 0 lux with IR		
Shutter Time	1/25(1/30)s to 1/50,000s		
Lens	2.1mm (2.8mm Optional)		
Lens Mount	M12		
Day & Night	Electronic		
Angle Adjustment	Pan: -35° to 35°; Tilt: 0° to 70°; Rotation: 0° to 360°		
Frame Rate	25fps	30fps	
Horizontal Definition	720TVL		
Synchronization	Internal Synchronization		
Video Output	Aviation Port		
S/N Ratio	> 62dB		
Interfaces			
Video Out	1Vpp Composite Output		
Audio In	Built-in Microphone		
Audio Out	1-ch, Aviation Port (Output Impedance: 1KΩ±10%)		
Aviation Plug	1: CVBS, 2: Audio, 3: Power, 4: GND		
General			
Working Temperature/Humidity	-30°C to 65°C (-22°F to 149°F), Humidity 90% or less (non-condensing)		
Power Supply	6VDC to 16VDC		
Power Consumption	MAX. 2.5W		
Protection Level	IP4X		
IR Range	3m		
Dimension	74.2mm×76.1mm×37.9mm (2.92"×3.00"×1.49")		
Weight	Approx. 400g (0.88lb)		

Order Models


DS-2CS58C2P-ITS/C

DS-2CS58C2N-ITS/C

Dimensions



Aviation Plug Port



Unit:mm

Distributed by

Headquarters

No.555 Qianmo Road, Binjiang District,
Hangzhou 310051, China
T +86-571-8807-5998
overseasbusiness@hikvision.com

Hikvision USA
T +1-909-895-0400
sales.usa@hikvision.com

Hikvision Italy
T +39-0438-6902
info.it@hikvision.com

Hikvision Singapore
T +65-6684-4718
sg@hikvision.com

Hikvision Europe
T +31-23-5542770
saleseuro@hikvision.com

Hikvision France
T +33(0)1-85-330-444
info.fr@hikvision.com

Hikvision Oceania
T +61-2-8599-4233
salesau@hikvision.com

Hikvision Middle East
T +971-4-8816086
salesme@hikvision.com

Hikvision Spain
T +34-91-737-16-55
info.es@hikvision.com

Hikvision Hong Kong
T +852-2151-1761

Hikvision Russia
T +7-495-669-67-99
saleru@hikvision.com

Hikvision Poland
T +48-22-460-01-50
poland@hikvision.com

Hikvision Canada
T +1-909-895-0400
sales.usa@hikvision.com

Hikvision India
T +91-22-28469900
sales@pramahikvision.com

Hikvision UK
T +44-1628-9021-4
support.uk@hikvision.com